

Built forms and underlying geometries in 20th-century architecture: Muuratsalo House and Leicester Engineering Department Building

Maria Grazia Cianci*, Dipartimento di Architettura, Università degli Studi Roma Tre, Italy - mariagrazia.cianci@uniroma3.it

Daniele Calisi, Dipartimento di Architettura, Università degli Studi Roma Tre - daniele.calisi@uniroma3.it

Stefano Botta, Dipartimento di Architettura, Università degli Studi Roma Tre - stefano.botta@uniroma3.it

Sara Colaceci, Dipartimento di Architettura, Università degli Studi Roma Tre - sara.colaceci@uniroma3.it

Sagrario Fernandez Raga, Universidad de Valladolid - s.f.raga@av.es

Carlos Rodriguez Fernandez, Universidad de Valladolid - carlos.rodriguez.fernandez@uva.es

Michela Schiaroli, Dipartimento di Architettura, Università degli Studi Roma Tre - michela.schiaroli@uniroma3.it

Abstract

By starting from the notions of rhythm, rule, and the analogy between architecture and music, the research focuses on the analysis and the representation of architecture and, in particular, of facades by comparing two case studies: Muuratsalo House by Alvar Aalto (1952-53) and the Leicester Engineering Department Building by James Stirling and James Gowan (1959-63). The methodology is based on the comparison among some specific facade categories: texture, basic compositional signs (connection to the ground, windows, connection to the sky), and geometries. The operating methodology follows these phases: i) the analysis of project drawings and photographic documentation; ii) two-dimensional reconstruction in CAD of plans, fronts, and sections; iii) NURBS modeling. By analyzing Muuratsalo House's facades through 2D representations and 3D models, the research highlights the proportional and compositional relationship between walls and openings as a leading principle. The study on the patio's fronts shows how this association gets more complex because the textures, rhythm, and geometry of the materials become the main elements in the compositional grammar of the house. In the case of the Leicester Engineering Department, the model allows the understanding of the general volumetric articulation. The whole configuration is characterized by the juxtaposition of multiple volumes, which impacts the facades, whose openings direct rhythms, textures, and geometries.

Keywords: texture, geometry, Leicester, Muuratsalo House, 3D models

1. Introduction


From the unmaking of the utopian and rigid visions of modernity, the architectural image of the post-war period acquires a multiple and uncertain fluidity, made of fragments of visual languages that blend into each other, defining "a plastically continuous universe" [1], full of dissonances and alliteration. A new architectural ethics develops, trying to accord with the social dimension, which has become increasingly predominant with the advent of the new millennium.

Though articulated and diversified, facades are built based on elements that find their individuality within more extensive and general categories characterized by similar meanings (such as windows, walls, roofing, etc.). The hypothesis of the existence of archetypical classes in architectural composition has often been a subject of investigation over time, starting from the Vitruvian primitive hut, whose main points were subsequently reworked by Semper and Shinkel [2]. Regardless of necessary variations, this research can also be found in traditions far from the Western ones, such as in the Japanese culture, in which every architectural sign, from the roof to the floor, is filled with both spiritual

50 and functional meanings and whose narratives were shared by architects such as Wright and Mies van der Rohe [3].
 51 These primitive elements are comparable to the plurisituational *comunsegni* of a language. A *comunseigno* is a sign that
 52 has a shared sense to a given set of interpreters. A plurisituational sign retains its intrinsic meaning regardless of the
 53 situation. The signs of a language are connoted by both properties [8].

54 As it happens in drawing, the very compositional operation of the facade is, therefore, the manifestation of a
 55 language: it takes the form of a system of interconnections of signs endowed with a relatively shared and constant
 56 meaning, regardless of their specific representation. These signs are related to each other by establishing a rhythm with
 57 a rule defining it. Considering architectural orders, they are the best example of rules and rhythm manifesting in
 58 architecture. Regarding this, Riccardo Migliari believes the definition of the old academic manuals on the classical
 59 order as «tautological and reductive» as «the entirety of ornaments used in architecture and defining decorative motifs that
 60 highlights or polishing used to embellish manufactories». According to him, the best way to define an order is to draw
 61 it, but to do so, it is necessary to contextualize what he means by “drawing” of the classical order. The “drawing” of
 62 the facade is, therefore, «the representation, in the front view and in the plan, where necessary, of the architecture [...]»
 63 and of its compositional rule», but it is also the interpretation of this rule, i.e., the reading of the dependence of each
 64 part on the other and the measurement of the dimensional relationships of the various parts; [...] also means the draft of a
 65 general rule which is not a rule, but rather a weft on which design is based, understood as it has been said [4].

66 Rhythm and rules are the basis of music; in fact, for centuries, music and architecture have been the subject of fairly
 67 in-depth parallelisms by scholars and artists of every field. Primarily, they share the quality of being configurations of
 68 elements in more complex systems: on one side, sounds (waves) over time; on the other, masses among space, which
 69 produce multiple sensory stimuli and develop functional and semiotic values. Both are languages composed of
 70 signs suitably juxtaposed according to specific rules and sensitivities, following operations (sometimes conscious,
 71 sometimes arbitrary) to carry out work with several communicative values [5]. What the notation of a music sheet gives
 72 to the flow of a piece can also be found in the design choices of a facade, where materials, shapes, and lights generate
 73 pauses, modify rhythms, and bind spaces. There is also a similar subject of the two fields to the use of proportions
 74 and harmonic progressions, as Boullée argues in contrast to Perrault. However, this tension can be thought of as
 75 unconscious, which has more marked effects on hearing than on sight [6]. «I found one of my writings among some
 76 others», said Goethe, «in which I call architecture “petrified music.” There is really something about it; the sensation
 77 produced by the architecture approaches the effect of music» [7] (fig. 1).



79

80


Fig. 1 – The Babel Tower, as represented by Bruegel in its dizzying masonry rhythms, layered in continuous

81 evolution. Highlighted in red, the spiraling dynamic of the architecture and its fast and varied rhythm recall the
 82 characteristics of a melody. Source: painting by Pieter Bruegel, Babel Tower, 1563.

84 2. Methods

85 Starting from the concepts of rhythm and rules and referring to the analogy between music and architecture, the
 86 research tries to conduct a method of analysis and representation of architecture and, in particular, facades through two
 87 case studies: Muuratsalo House by Alvar Aalto (1952-53) and Leicester Engineering Department Building by James
 88 Stirling and James Gowan (1959-63) (figs. 2-3). These architectures were chosen because they differ in typologies and
 89 uses, although both exploit materials on the facade to define textures and compositional rhythms.

90 The Experimental House (1952-54) was the self-designed atelier and summer home of Elissa and Alvar Aalto. It
 91 was inspired by the idea of an ancient Roman atrium. It is located on the rocky summit of the island of Muuratsalo
 92 (hence the name of the villa) in the middle of Lake Päijänne. The construction of Muuratsalo was conceived as a
 93 synthesis between an architect's private studio and an experimental center, where it is also possible to examine problems
 94 that are not yet mature and where the closeness to nature induces reflections on both forms and techniques. The house
 95 develops according to the specific needs of the internal spaces and looks for a stronger bond between the living habitat
 96 and the natural context outside. It is possible to define the character of the architectural details as typical of the Nordic
 97 environment. In its experimental intentions, this building differs from traditional construction in terms of shape, scale,
 98 and type of materials. The elevations towards the enclosed patio have been divided into 10 different areas to experiment
 99 with various terracotta and ceramics, modulations, brick sizes, and specific treatments.




100
 101 Fig. 2 – Plan, sections, and front views elaborated for Muuratsalo House by Alvar Aalto. Source: images created by
 102 the authors.

104 In 1957, when University College was granted its Royal Charter and became the University of Leicester, plans for
 105 new campus buildings included an engineering building on a site near Victoria Park. The university commissioned the
 106 architects James Stirling and James Gowan for the works, and the building was completed in 1963 on the University
 107 of Leicester campus in England. Its construction was relegated to a place that was not particularly visible, an unwanted
 108 corner, and this, rather than an inconvenience, has been a stimulus, a challenge to overcome the characterless buildings

109
110

of the neighborhood. The engineers wanted a water tank for the plumbing laboratory on the ground floor; therefore, to create the necessary pressure, the tank was placed on top of the tower, which had to be at least thirty meters high.



111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

Fig. 3 – Plans and front views of the Leicester Engineering Department Building by Stirling e Gowan. Source: images created by the authors.

Two conjoined towers containing laboratories and offices, whose design is inspired by the superstructure of an aircraft carrier, are placed on top of the two cantilevered classrooms. The designed classrooms protrude at right angles, and the tower also hosts laboratories and offices. The ground floor buildings have a distinctive angled roof to allow northern light in - similar to factory roofs - and contain workshops and laboratories. The design of this roof is unique, made of two types of glass: translucent multi-layered glass with an inner layer of fiberglass and aluminum-coated opaque glass. The distinction between the two only becomes visible at night when the building is illuminated. The rippling “waves” of the two large glazed roofs, angled at 45 degrees to the towers, face north to provide illumination without direct sunlight (which could affect delicate instruments).

Architects James Gowan and James Stirling, plus engineer Frank Newby, created a unique piece of modern architecture designed around the specific needs of the Engineering Department and available campus angle.

The investigation methodology focuses on the comparison of some categories of the facade: texture, geometries, and compositional elements of the facade (connection to the ground, windows, and connection to the sky). The

relationship between the two case studies exploits these essential categories of the architectural language to identify how they act specifically on the progression of the facade, using the architectural *comunsegni* as the basis for comparison. In this sense, it is possible to hypothesize interpretations and comparisons between facades with highly different connotations, relating their individual signs to specific shared contents, regardless of their individual manifestation [8]. The metamorphosis of the project lies in the variable character of the basic signs of the architecture, which possess a “range of oscillation” within which to change, even significantly. Therefore, the individual manifestation of the same sign can totally alter the meaning of a facade, add plasticity, impose shadows, accelerate or interrupt its rhythm. Precisely this last concept has always been one of the most frequent properties of the composition. From the colonnade to the curtain wall, the repetition of modules is a process that unifies a system of individuals with a homogeneous meaning. Especially in contemporary languages, the seriality of the elements that mark the front of a facade is often interposed with individualistic and autonomous signs that vary their course, rebelling against the other components and creating effective compositional contrasts [1]. This is even more significant when the experience of architecture comes into play through the movement around and within it. The dynamics of the space continuously varying, generate new images conveyed by the accordance of the signs of the building, to the point of making the surfaces almost vibrate through a language of shapes, lights, and materials [1].

The operating methodology follows these phases: i) the analysis of project drawings and photographic documentation; ii) two-dimensional reconstruction in CAD of plans, fronts, and sections, and NURBS modeling. To archive an in-depth comparative analysis of the architectural sign and their composition in the geometry facade, the construction of 3D study models is necessary. In some cases, it is not easy to deeply comprehend material variations and intersections among the envelope elements. The modeling of the two works using digital surfaces refers to design drawings for the two-dimensional reconstruction phase and information obtained from historical and current photographs, through which it was possible to understand better and replicate patterns and critical points of the projects.

3. Texture

In Muuratsalo House, Alvar Aalto explicitly deviates from linear, following Finnish constructive traditions without losing connection to the genius loci, which characterizes a great part of its work and which is here manifested at times. The plurality of textures and typologies also envelops horizontal planes, defining a space with multiple rhythms. The continuous variations on the theme create a “paradoxical unfinished microcosm” in symbiosis with the outer nature [9]. The chromatic contrast between the external white-painted masonry shell and the internal red-brick courtyard is evident. The courtyard is partially enclosed by free-wall interrupted by empty spaces to mediate the inside-outside relationship, simultaneously suggesting a sense of archaic and lost, almost as if they were modern ruins [10].

As it is for the bas-relief figurative compositions of the Tabula Iliaca Capitolina, the articulation of the bricks on the walls of the patio of Muuratsalo House by Alvar Aalto seems to have the will of surrounding the visitor with an iconographic narration on masonry, not only as a construction material but also as an element capable of provide unity by its intrinsic properties, and rhythmic subdivision to the multiple opportunities of configuration and proportioning.

The courtyard fronts become a sort of sampler pattern in which ceramic and bricks are combined in different modules, scales, and treatments. The five textures of the patio were also meant to test each solution’s optical effects and durability. In Aalto’s architecture, there is often a dematerialization of the space, breaking the rigid protocol between inside and outside. In the patio of Muuratsalo House, the built environment is fused with the surrounding landscape; inside and outside are merged to allow the architecture to frame the lake Lehtisselkä, reminding of the way the windows of the ruined facades of collapsed buildings frame the sky in Civita di Bagnoregio [11].

Muuratsalo House is configured as an étude on bricks, a short study composition on masonry texture in which technical variations on the same material are expressed. In this sense, the square courtyard fronts become the scene for a real architectural performance.

On the opposite view, the Leicester Engineering Department Building by James Stirling and James Gowan shows an “insensitivity” to context, which can often be found in the works of these two architects, manifested as an expression of autonomy from the place, of which the architecture aims to be a landmark. To escape the “routine of modernism”, Stirling recovers fragments of the modern language, defining a speech of dissonant references, contradictions, and discontinuities that nonetheless find their own compositional meaning.

The “construction machine” is assembled with the most unpredictable architectural quotations, in which materials and shapes juxtapose but never totally merge. Exposed masonry, broad glass surfaces, concrete, and steel alternate in continuous variations to create different rhythms to the complex volumetric layout, generated to respond to the multiple uses hosted by the building in a specific way. The lack of a predominant front comes from the importance that Stirling gives to the internal organization, which peremptorily directs the external appearance based on its necessities and from which the dissonant and fragmentary narration of the facade derives [9].

182 The macroscopic contrast between flat red-brick surfaces and wide glass and metal ones is evident in the Leicester
 183 Engineering Department. Here, the pattern is based less on the material heterogeneity and more on the juxtaposition
 184 between masonry and glass, opaque and transparent materials, red and grey, and blue.

185 Ultimately, the work of Stirling and Gowan embodies a suite for brick, concrete, glass, and steel, in which the
 186 passages, harmonized by the language, follow each other in the form of function-volumes with distinct rhythms (fig.
 187 4).
 188



189
 190 Fig. 4 – On the left: masonry textures in Muuratsalo House, a “sample” of material and geometry patterns. Source:
 191 picture by Hassan Bagheri, <http://www.zeroundicipiu.it/2012/04/14/casa-sperimentale-a-muuratsalo/>;
 192 on the right:
 193 material juxtaposition in the Leicester Engineering Department, where the repeated rhythms of windows and
 194 skylights interpose to the linearity of brick walls and concrete. Source: ARUP. (2022). Engineering Building.
 195 Conservation Management Plan.


196 <https://player.flipsnack.com/?hash=OT...FBRkY4RDYrN3VpbzU5dGd2dQ%3D%3D&p=14>.

197 4. Geometries

198 The compositional grammar of Muuratsalo House appears relatively simple in plan and fronts, as it is for the
 199 volumetric layout. Rectangular rooms are arranged in succession, one after another, around a central square (the patio),
 200 which is the pivot of the composition.

201 The facades looking East and West are made of rectangular planes whose articulation is determined just by the
 202 variation of the orientation of the volumes. On each front, the compositional geometry is given by the juxtaposition of
 203 rectangular openings and continuous walls. Sometimes, windows can assume the primary role in the composition, as
 204 they do for the west front. On the East facade, however, the window is a minimal square opening whose compositional
 205 role is manifested by its repetition on the surface. On the South and North sides, the variation is driven by the sloping
 206 roof shape; nonetheless, the same compositional rule, characterized by the openings being either dominant elements or
 207 small holes, remains unchanged.

208 The articulated geometry of the floor and the facades of the patio, realized by the varied use of masonry, contrasts
 209 the simplicity of volumes and planes. In fact, the work on bricks with different dimensions and colors determines a
 210 composition of mixed rhythms. On the courtyard facades, the rhythm is directed by four main vertical strips and three
 211 horizontal ones, subdivided into additional secondary bands according to the brick change (fig. 5). Geometry and
 212 texture merge to manifest the compositional grammar of the architecture.
 213



214

215 Fig. 5 – Geometric progression scheme on the front of the ratio in Muratsalo House, in which the grid highlights the
 216 subdivisions, not only of the openings but mainly of the articulation and composition of different masonry patterns. Source:
 217 image created by the authors.


218

219 As far as the Leicester Engineering Department and Muratsalo House share a composition based on purely flat
 220 surfaces (including the cylinders of the spiral stairs, which by the way, are obtained by an assembly of flat glazed
 221 modules), the overall geometry of the first appears extremely more complex and varied, which can be explained as an
 222 interpolation of multifaceted prisms. The articulation of the organisms is characterized by an evolving syncopated
 223 rhythm, in which voids spiral among volumes, and towers accent the constant cadence of the sheds. The research on
 224 the internal functional necessities is translated in a discordant refrain of overhangs and recesses, jumps, and direction
 225 changes.

226 The masonry walls follow substantially linear and horizontal progressions, configured as flat faces of pure volumes,
 227 even in episodes like the conference rooms, whose *cavee* are represented on the outside with the simple sign of an
 228 inclined surface. The window system has the most significant geometric variants, working on alternative compositions
 229 with mostly rectangular modules. This dictates a large part of the facades' rhythms and movements. The glazed elements
 230 of the office tower are repeated along its vertical with a double tempo, declaring the internal progression of the floors;
 231 assuming an oblique direction, they sign top to bottom the volume connecting offices to the stairwell; ultimately, they
 232 become "ribbon window windows" to mark the research tower horizontally. The most iconic element of this architecture
 233 by Stirling and Gowan is certainly the shed roof of the laboratory area, whose module, a squared base prism, is repeated
 234 at a fast pace over the entire surface, with a plan angulation of 45° in relation to the general direction of the envelope.
 235 It creates a strong pattern that overflows from the base and breaks its linearity, creating a complex game of intersections
 236 with the glazed block on the back (fig. 6).

237

238



239
 240 Fig. 6 – Geometric progression scheme on the South-East façade and the roof plan of the Leicester Engineering
 241 Department. Observing the main directions of the surfaces, it is evident how the independence of the functional
 242 volumes produces continuous fragmentations and gaps in the geometric layout, which is separated into distinct
 243 microsystems. By rotating 45 degrees, the glazed sheds break the orthogonality of the building, as it is for the
 244 entrance ramp and most of the angles of the other volumes, which are leveled following the same direction. Source:
 245 images created by the authors.
 246


247 5. Compositional elements

248 In the connection to the ground of Muuratsalo House, Aalto experiments with the “foundationless building”,
 249 utilizing a floor substructure in the atelier, while choosing a “free-form column structure” for the woodshed, which
 250 involves supporting wooden columns on beneficial points of the ground [12]. As for the relationship with the context,
 251 while following the natural slope of the land, the white-plastered perimeter walls of the building show a deliberate
 252 detachment. Inside the patio, though, the bond with nature and the underlying ground returns, almost as a re-proposition
 253 of the idea of the hearth of the Roman rustic villa.

254 In the Leicester Engineering Department Building, the connection to the ground assumes the sign of a solid masonry
 255 base, continuous and seldom interrupted by openings. Explicitly referencing Wright’s Johnson Wax Building, the base
 256 defines a horizontal and consistent cap that serves as an incipit for the game of variations along the elevation.

257 As for the window element, in Muuratsalo House, the hierarchy among openings is given by the internal distribution.
 258 The windows on the private side of the house are small and positioned at the top to avoid prying eyes. A different
 259 approach is chosen for the windows of the atelier and the patio; the former was conceived larger to create a visual
 260 connection between the internal and external space, and the latter was designed to enjoy the surrounding nature in a
 261 reserved/filtered way. The window placed on the West facade create an almost solemn view of the external landscape,
 262 thanks to a texture of vertical elements.

263 In the Leicester Engineering Department Building, the broad glazed surfaces are countered by the introversion of
 264 the walls, generating a multifaceted alternation between the uniform and monotone pauses of the masonry texture and
 265 the fast rhythms of the windows, which mark the envelope-like thin ribbons, prisms and big transparent planes (fig. 7).



266

267

268

269

270

271

272

273

274

Fig. 7. A comparison between the glazed elements of the case studies, from which the will to make a correspondence between external configurations and internal functional needs is observed. In Muuratsalo House (on the left), this is translated into a series of essential signs, while in the Leicester Engineering Department (on the right), the variety is amplified by the multiple meanings of the place. Source: images created by the authors.

The connection to the sky in Muuratsalo House is concise, obtained by alternating solids and voids. The choice of white plaster is perhaps a recall of the color of the stones around the lake Lehtisselkä, willing to create a mediation between built elements and the context, almost becoming a background to enhance the surrounding nature.

275
276
277
278
279
280
281

In the Leicester Engineering Department, the connection with the sky assumes various configurations according to the diversity of the “functional passages” of the building. The vibrant and repeated movement of the glass and metal prisms counters the assertive closure of the office tower (fig. 8). The engineering department is also dynamized by another group of signs of different semantics, which cannot be brought into the Muuratsalo House by Aalto: a chimney, concrete pillars and sinuous spiral stairs mounted in glass cylinders identify a set of vertical elements which delineate punctual variations that link surfaces of different nature.



282

283
284
285

Fig. 8: Connections to the sky compared through axonometric views of the models (at different scales) drawings and photos, highlighting different rhythms and levels of complexity between the roofs of the two case studies and underlining the difference in material dynamics through the elevation. Source: images created by the authors.

286

287

6. Results

288

289

290

291

The reconstruction methodology chosen for Muuratsalo House and the Leicester Engineering Building, using 2D and 3D models, allowed the critical reading of the compositional language of the two architectures. The research led to different results: i) thinking about the relationship between architecture and representation; ii) using 2D and 3D models to analyze existing architectures.

292

293

294

Drawing is also a critical tool for analyzing, reading, and understanding architecture; therefore, it is necessary to investigate the generative process of shapes through representation. The study of project drawings, the redrawing in CAD, and the 3D modeling are phases connected to each other to lead to a critical reading of architecture.

295

296

By operating with aggregations and disaggregation, 3D models continuously force us to consider the relationship among components in spatial, geometrical, compositional, volumetric, dimensional, and hierarchic terms [14].

297

298

299

300

Analyzing Muuratsalo House through 2D and 3D representation makes it possible to understand how its facades are mainly based on the compositional and proportional relationship between walls and openings. The analysis of the patio's fronts underlines how this association develops a greater complexity because the textures, rhythm, and geometry of the construction material become the main signs of the compositional grammar. Therefore, in this case, the material (bricks) and the assembly techniques generate texture and geometry.

301

302

303

304

305

306

307

Regarding the Leicester Engineering Department Building, the model initially allowed the understanding of the general volumetric articulation because a complex formal variety characterizes the building. Subsequently, the 2D representation of the fronts and the 3D model were used to understand the relationship among the components of the facades. The whole configuration is characterized by the juxtaposition of multiple volumes, which impacts the facades, whose openings direct rhythms, textures, and geometries (figs. 9-10). In this case, instead, the relationship between glazed components and continuous walls determines changes in textures and geometries.

308



309

310

311

Fig. 9 – render of Muuratsalo House. Source: image created by the authors.



Fig. 10 – 3D model of the Leicester Engineering Department Building. Source: image of the authors.

7. Conclusions

Architects have designed their works strictly following geometric modularity ratios and proportional rules for centuries, but during the XX century, those intentions were subjected to a radical transformation. Representation forms have always held, and still hold nowadays, a central role in all the reading processes of the existent reality. In particular, the use of current digital tools fits into the analysis process but also into the creation of configurations, especially regarding complex architectures.

The analysis of architectures through 3D models leads to a continuous confrontation with the geometrical space to understand the volumetric articulation and establish spatial relationships among the parts. It also forces the deconstruction, decoding, and classification by typology of the components, which are the generating operations of a shape. At the same time, the development of the model forces us to think about the ordering structure.

Through the virtual construction of solids and surfaces and their juxtapositions, the model helps to retrace an architecture's morphogenesis process, revealing the architect's design intentions.

The interpretative analysis includes various aspects of the architecture (functions, dimensions, composition, hierarchy). In this scenario, reading two specific elements of the composition, such as geometry and texture, is also included. The work on the two presented case studies expresses an analysis method that includes, on one side, the composition and geometric decoding and, on the other, the communication of the architecture through 2D and 3D representations capable of conveying formal characteristics. In this process, from the study of project drawings to the modeling, the worth is not only in the graphic result but mainly in the methodological process of reading performed through different forms of representation.

8. References

- [1] Pirini F. (2017) *Comporre l'architettura*. Editori Laterza, Roma
- [2] Frampton K. (2005) *Tettonica e architettura. Poetica della forma architettonica nel XIX e XX secolo*. Skira, Milano
- [3] Alabiso A. (2014) *Architettura giapponese e architetti occidentali*. Nova Logos, Aprilia
- [4] Migliari R. (1991) *Il disegno degli ordini e il rilievo dell'architettura classica: Cinque Pezzi Facili in Disegnare Idee Immagini 2: 49–66*
- [5] Tedde G. (2004) *Musica è architettura*. In: Peluso S. (a cura di). *Musica & Architettura. Paesaggi della contemporaneità*, Università di Cagliari, Cagliari, 55–59
- [6] Boullée E. (1981). *Architettura. Saggio sull'arte*. Marsilio Editore, Venezia

- 345 [7] Eckermann J. (1850) Conversations of Goethe with Eckermann and Soret. Smith, Elder & Co., London
346 [8] de Rubertis R. (1994) Il disegno dell'architettura. La Nuova Italia Scientifica, Roma
347 [9] Biraghi M. (2008) Storia dell'architettura contemporanea II. Giulio Einaudi Editore, Torino
348 [10] Lahti L. (2019). Alvar Aalto. Taschen, Colonia
349 [11] Soletti A. (1992) Analisi storica del disegno "dinamico". In de Rubertis R., Soletti A., Ugo V. (a cura di), Temi
350 e codici del disegno d'architettura, Officina Edizioni, Roma, pp 65-82
351 [12] Alvar Aalto Foundation, Muuratsalo Experimental House.
352 <https://www.alvaraalto.fi/en/architecture/muuratsalo-experimental-house/>
353 [13] ARUP (2022). Engineering Building. Conservation Management Plan. University of Leicester.
354 <https://player.flipsnack.com/?hash=OTc1OUFBRkY4RDYrN3VpbzU5dGd2dQ%3D%3D&p=14>
355 [14] Albisinni P., Carlevaris L., De Carlo L., Micucci A. (2012) Metodologie digitali per l'analisi dell'architettura.
356 Una rivisitazione dei progetti di concorso per i Nuovi Uffici per la Camera dei Deputati di Roma. In Grijalva
357 Bengoetxea A., Ubeda Blanco M. (a cura di), Atti del 14 Ega Congreso Internacional Expresión Gráfica
358 Arquitectónica, Universidad de Valladolid, Valladolid, pp 273-282